This page Is Inserted by IFW Operations And is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of The original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images,
Please do not report the images to the
Image Problem Mailbox.


Figure 7.




B Cell DNA Synthesis (cpm/culture)

5674-175 (sheet 2 of 9)

Figure 2.






Concentration of fusion protein (µg/ml)

at acreacyeryretenestrecty. Interestretecyptetette

726 A F II F K Q E F Q E I N F B41 ATONCAAAGAGAGTOTCAGTOCANGACAGTAAGOCTGCACCCACCACADAAGTGTGGCCAACGGGGCAACAGGCAGTTGGGGAAGAGGGTGGTGCTGCTGCTGCAC 266 G K E S R I S Y Q E R Q sol icleicofecteacanicoceteaxoacecetearaalececeATcAnceteceaniceteilThoceaniceTetTdatccacecititateaxaa,acetei IA A I N N L B N A B L A A C L B M A B L M G H B M L B C B L W G N N B L B A C B L W N L B A A C L D A A C L D A A C L D A A C L D A A C L D A A C L D A A C L D A A C L D A A C L D A A ${f g}$ of the tensor of the second control of the second contro

& Jo : 1-175 (shoot : 0 8)


Figure 7.




5624-175 (shut 6 of 9)

Figure 6.

Staining Ab or Fusion Protein	Blocking Ab	itesting Th	A ret i statement i i i i i i i
CD40 (50 µg/ml)	•••	4,9	88,5
MR1 (50 pg/ml)		5,7	4 ,8
CD40 (50 µg/njl)	MRI (50 µg/ml)	5.0	1.7
CD40 "	MR (25 µg/ml)		20,7
CD4() " "	MR (10 µg/ml)	•••	30,3
C1)4() " "	MRI (\$ µg/ml)	***	40.5
CD40 " "	ä-α,β (50 1/g/ml)	•-•	63.0





to H. d. and the day of the court with the court was the court with the court was the





Figure 3.



Log Green Fluorescence

56-14-175 (sheet) of 4)

Figure 8B.

